

CWP-PRO-APACHE-REBUILD

- [Sadržaj](#)

Sadržaj

CWP PRO APACHE REBUILD OPTIONS

<http://forum.centos-webpanel.com/apache/apache-compiler/>

Optional Features: --disable-option-checking ignore unrecognized --enable/--with options --disable-FEATURE do not include FEATURE (same as --enable-FEATURE=no) --enable-FEATURE[=ARG] include FEATURE [ARG=yes] --enable-layout=LAYOUT --enable-v4-mapped Allow IPv6 sockets to handle IPv4 connections --enable-exception-hook Enable fatal exception hook --enable-maintainer-mode Turn on debugging and compile time warnings --enable-pie Build httpd as a Position Independent Executable --enable-modules=MODULE-LIST Space-separated list of modules to enable | "all" | "most" --enable-mods-shared=MODULE-LIST Space-separated list of shared modules to enable | "all" | "most" --disable-authn-file file-based authentication control --enable-authn-dbm DBM-based authentication control --enable-authn-anon anonymous user authentication control --enable-authn-dbd SQL-based authentication control --disable-authn-default authentication backstopper --enable-authn-alias auth provider alias --disable-authz-host host-based authorization control --disable-authz-groupfile 'require group' authorization control --disable-authz-user 'require user' authorization control --enable-authz-dbm DBM-based authorization control --enable-authz-owner 'require file-owner' authorization control --enable-authnz-ldap LDAP based authentication --disable-authz-default authorization control backstopper --disable-auth-basic basic authentication --enable-auth-digest RFC2617 Digest authentication --enable-isapi isapi extension support --enable-file-cache File cache --enable-cache dynamic file caching --enable-disk-cache disk caching module --enable-mem-cache memory caching module --enable-dbd Apache DBD Framework --enable-bucketeer buckets manipulation filter --enable-dumpio I/O dump filter --enable-echo ECHO server --enable-example example and demo module --enable-case-filter example uppercase conversion filter --enable-case-filter-in example uppercase conversion input filter --enable-reqtimeout Limit time waiting for request from client --enable-ext-filter external filter module --disable-include Server Side Includes --disable-filter Smart Filtering --enable-substitute response content rewrite-like filtering --disable-charset-lite character set translation --enable-charset-lite character set translation --enable-deflate Deflate transfer encoding support --enable-ldap LDAP caching and connection pooling services --disable-log-config logging configuration --enable-log-forensic forensic logging --enable-logio input and output logging --disable-env clearing/setting of ENV vars --enable-mime-magic automatically determining MIME type --enable-cern-meta CERN-type meta files --enable-expires Expires header control --enable-headers HTTP header control --enable-ident RFC 1413 identity check --enable-usertrack user-session tracking --enable-unique-id per-request unique ids --disable-setenvif basing ENV vars on headers --disable-version determining httpd version in config files --enable-proxy Apache proxy module --enable-proxy-connect Apache proxy CONNECT

module --enable-proxy-ftp Apache proxy FTP module --enable-proxy-http Apache proxy HTTP module --enable-proxy-scgi Apache proxy SCGI module --enable-proxy-ajp Apache proxy AJP module --enable-proxy-balancer Apache proxy BALANCER module --enable-ssl SSL/TLS support (mod_ssl) --enable-distcache Select distcache support in mod_ssl --enable-optional-hook-export example optional hook exporter --enable-optional-hook-import example optional hook importer --enable-optional-fn-import example optional function importer --enable-optional-fn-export example optional function exporter --enable-static-support Build a statically linked version of the support binaries --enable-static-htpasswd Build a statically linked version of htpasswd --enable-static-htdigest Build a statically linked version of htdigest --enable-static-rotatelog Build a statically linked version of rotatelog --enable-static-logresolve Build a statically linked version of logresolve --enable-static-htdbm Build a statically linked version of htdbm --enable-static-ab Build a statically linked version of ab --enable-static-checkgid Build a statically linked version of checkgid --enable-static-htcacheclean Build a statically linked version of htcacheclean --enable-static-httxt2dbm Build a statically linked version of htxt2dbm --enable-http HTTP protocol handling --disable-mime mapping of file-extension to MIME --enable-dav WebDAV protocol handling --disable-status process/thread monitoring --disable-autoindex directory listing --disable-asis as-is filetypes --enable-info server information --enable-suexec set uid and gid for spawned processes --disable-cgid CGI scripts --enable-cgi CGI scripts --disable-cgi CGI scripts --enable-cgid CGI scripts --enable-dav-fs DAV provider for the filesystem --enable-dav-lock DAV provider for generic locking --enable-vhost-alias mass virtual hosting module --disable-negotiation content negotiation --disable-dir directory request handling --enable-imagemap server-side imagemaps --disable-actions Action triggering on requests --enable-speling correct common URL misspellings --disable-userdir mapping of requests to user-specific directories --disable-alias mapping of requests to different filesystem parts --enable-rewrite rule based URL manipulation --enable-so DSO capability