

fitness-laravel-app

- [Sadržaj](#)

Sadržaj

E-mail notifikacije članovima :

- sedam dana prije isteka članarine svim članovima
- schedule + action -> cron job za expiry i notifikacija

Članarina - DT i ajax

- članski broj, ime prezime, datum početka, datum isteka, naziv paketa, cijena paketa
- akcije - edit i delete(status id = 0 ili koji je već....)

Za mellon fitness OBAVEZNO!!!

- datatables linkovi s detaljnijim informacijama (unutar ajaxa)
- dt + detaljnije info : članarina = > relationships - članarina, račun, član, paket (detaljnije informacije, many to many)
- datatables - header search filter, table sume
- header notifikacije i breadcrumbs, chat
- print, print pdf, automatski bez dialog window(java script)
- sweetalert 2 notifikacije svugdje (crud operacije)
- settings button za notifikacije, postavke
- admin notifikacije za - novi član, račun, članarina kerirana
- admin opcije - pošalji mail svim korisnicima - za blagdane čestitke/promocije
- admin/user profile - password change, profile picture etc...
- poslovni korisnici sekcija - računi na steroidima

```
##git config git config --global user.name "Marijan Kopčić" git config --global user.email mkopcic@gmail.com
```

```
#rename git to https git git config --global url."https://".insteadOf git://
```

```
##add files to git remote
```

```
git init // hint: git config --global init.defaultBranch git add README.md
```

```
git commit -m "first commit" git branch -M main git remote add origin https://github.com/mkopcic/central.mellon-fitness.com.git git push -u origin main
```

```
##git remove origin git remove origin git remote remove origin
```

```
##Pull and push local changes: git pull origin master From https://github.com/mkopcic/razvoj.mellon-fitness.com
```

- branch master -> FETCH_HEAD hint: You have divergent branches and need to specify how to reconcile them. hint: You can do so by running one of the following commands sometime before hint: your next pull: hint: hint: git config pull.rebase false # merge hint: git config pull.rebase true # rebase hint: git config pull.ff only # fast-forward only hint: hint: You can replace "git config" with "git config --global" to set a default hint: preference for all repositories. You can also pass --rebase, --no-rebase, hint: or --ff-only on the command line to override the configured default per hint: invocation. git pull origin master

#Fetch git init git remote add origin [my-repo] git fetch git checkout origin/master -ft

##Repositories:

-Razvoj <https://github.com/mkopcic/razvoj.mellon-fitness.com>

<https://github.com/mkopcic/razvoj.mellon-fitness.com.git>

- Central Fitness <https://github.com/mkopcic/central.mellon-fitness.com>
<https://github.com/mkopcic/central.mellon-fitness.com.git>