

magento.mellon.hr

- [Sadržaj](#)

Sadržaj

magento composer instal:

auth keys: Name Access Keys Status Actions magento.mellon.hr Public Key:
b25bce35e8e22b1d3d0708cd5f63b7e5 Copy Private Key: 1b412cf51ffdb50e596a884a776c2f0d
Copy

ID: MAG004007858 Downloads Access Token: 8a7f5cca0b92db07ad62ead60faa99c84914fbd8 curl
-k
<https://MAG004007858:8a7f5cca0b92db07ad62ead60faa99c84914fbd8@www.magentocommerce.com/products/downloads/info/help> composer create-project --repository-url=https://repo.magento.com/ magento/project-community-edition magento

```
cd /var/www/html/ find var generated vendor pub/static pub/media app/etc -type f -exec chmod g+w {} + find var generated vendor pub/static pub/media app/etc -type d -exec chmod g+ws {} + chown -R :www-data . # Ubuntu chmod u+x bin/magento
```

Open search must have : ##<https://opensearch.org/docs/latest/install-and-configure/install-opensearch/rpm/> sudo systemctl enable opensearch sudo systemctl start opensearch sudo systemctl status opensearch

```
sudo nano /etc/opensearch/opensearch.yml #opensearch cert: - check new open_cert.sh script
```

#opensearch yaml options for sh:

- CN=A,OU=Web development,O=Mellon Development,L=Osijek,ST=Hrvatska,C=HR

#plugins.security.nodes_dn:

- 'CN=node1.dns.a-record,OU=Web development,O=Mellon Development,L=Osijek,ST=Hrvatska,C=HR'

instalacija: bin/magento setup:install
--base-url=https://magento.mellon.hr
--db-host=localhost
--db-name=mellon_magento
--db-user=mellon_magento
--db-password=Mellon123?
--admin-firstname=admin
--admin-lastname=admin
--admin-email=info@mellon.hr
--admin-user=admin

```
--admin-password=Mellon123?  
--language=en_US  
--currency=EUR  
--timezone=Europe/Zagreb  
--search-engine=opensearch  
--opensearch-host=localhost  
--opensearch-port=9200  
--opensearch-index-prefix=magento  
--opensearch-timeout=15  
--use-rewrites=1
```

NOVI INSTALL

```
sudo systemctl daemon-reload
```

sh profile za shell

```
export JAVA_HOME=/usr/lib/jvm/jdk-17-oracle-x64/bin/java export  
OPENSEARCH_JAVA_HOME=/usr/lib/jvm/jdk-17-oracle-x64/bin/java
```

```
export PATH=$PATH:/usr/lib/jvm/jdk-17-oracle-x64/bin echo $JAVA_HOME sudo export  
JAVA_HOME=$(readlink -f /usr/bin/javac | sed "s:/bin/javac::") sudo nano  
/etc/opensearch/opensearch.yml
```

```
chmod +x /usr/share/opensearch/plugins/opensearch-security/tools/hash.sh chmod +x  
/usr/share/opensearch/plugins/opensearch-security/tools/securityadmin.sh
```

```
sudo bash securityadmin.sh -cd /path/to/config/ -icl -key /path/to/your/ssl/key -cert  
/path/to/your/ssl/cert -cacert /path/to/your/ca/cert -nhnv
```

```
[mellon@srv opensearch]$ sh /usr/share/opensearch/plugins/opensearch-security/tools/hash.sh
```

**** This tool will be deprecated in the next major release of OpenSearch ** ****
<https://github.com/opensearch-project/security/issues/1755> ******

```
[Password:] $2y$12$K/B8W2o2aZv82cD6Kd0QEO8YROgdV1OhcohmqvGpdK4VRKMfDCtG  
[mellon@srv opensearch]$
```